

Block A Pinot Gris

Vine Growth, Canopy & Crop

EL Stage

12

Tip Growth

Strong

Canopy height x width (av. - cm)

20 x 15 cm
Canopy Lifting

Wires are down

Canopy & Crown Density (thinning requirements)

Fairly even shoot growth (image 1), some dense crowns (image

3), some blind budding (image 4).

Leaf Colour Good

Leaf Loss (shading or stress)

No

Watershoot Growth

Some watershoots (image 2)

Fruit/ Inflorescence Density,

Overcovering, Bunch size & condition

Small to medium size (image 5),

medium to high density.

Frost or Cold Damage

No Notes **Pest, Disease & Nutrition**

Powdery Mildew

0

Downy Mildew (old infection)

0

Botrytis (leaf or bunch)

No

LBAM (webbing / moths / eggs /

caterpillars)
Not sighted

Scale (adults / eggs / crawlers)

Not sighted

Snails

Not sighted

Mites

Some blister mite (image 6).

Weevils No Eutypa

Not showing up on the canes

Diaporthe

No

Phomopsis

No

Nutrient Deficiency / Toxicity

No

Beneficial's Not sighted

Notes

Some leaves collected to test for

Downy Mildew

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent

Irrigation / Preciptation

Good

Irrigation System (leaks, blocked

emitters etc.)

N/a

Weed Growth (vine rows)

Fairly clean (image 2)

Weed Growth (mid rows)

Some broadleaf

Sward Length (rows / headlands)

Recently slashed

Broken Posts (intermediate / Strainers)

N/a

Broken Wires

N/a

Notes / Other

















Block B Chardonnay

Vine Growth, Canopy & Crop

EL Stage

12

Tip Growth

Strong

Canopy height x width (av. - cm)

25 x 15 cm

Canopy Lifting

Wires are up

Canopy & Crown Density (thinning requirements)

Light canopy (image 1), some dense crowns (image 8).

Leaf Colour

Good

Leaf Loss (shading or stress)

No. Some wind damage (image 3)- not a lot.

Watershoot Growth

Some big watershoots (image 2).

Fruit/ Inflorescence Density,

Overcovering, Bunch size & condition Medium size bunches (image 6),

low to medium density- some

blind budding, some gaps (image

7).

Frost or Cold Damage

No Notes **Pest, Disease & Nutrition**

Powdery Mildew

0

Downy Mildew (old infection)

0

Botrytis (leaf or bunch)

No

LBAM (webbing / moths / eggs /

caterpillars)

Not sighted

Scale (adults / eggs / crawlers)

Not sighted, some traces (image

3).

Snails

Not sighted

Mites

Some blister mite (image 9)

Weevils

Not sighted. A lot of earwigs

Eutypa

Some patches (image 4).

Diaporthe

No

Phomopsis

No

Nutrient Deficiency / Toxicity

No

Beneficial's

Not sighted

Notes

One leaf collected to test for

Downy Mildew

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent

Irrigation / Preciptation

Good

Irrigation System (leaks, blocked

emitters etc.)

N/a

Weed Growth (vine rows)

Fairly clean (image 2)

Weed Growth (mid rows)

Some broadleaf

Sward Length (rows / headlands)

Recently slashed

Broken Posts (intermediate / Strainers)

N/a

Broken Wires

N/a

Notes / Other



























Block C Pinot Noir

Vine Growth, Canopy & Crop

EL Stage

12

Tip Growth

Strong

Canopy height x width (av. - cm)

25 x 15 cm

Canopy Lifting

Wires are up

Canopy & Crown Density (thinning

requirements)

Fairly even shoot growth (image 1), some blind budding, some

dense crowns (image 4)

Leaf Colour Good

Leaf Loss (shading or stress)

No

Watershoot Growth

Some big watershoots (image 2)

Fruit/ Inflorescence Density,

Overcovering, Bunch size & condition

Medium size (image 3), medium

density.

Frost or Cold Damage

No Notes **Pest, Disease & Nutrition**

Powdery Mildew

0

Downy Mildew (old infection)

0

Botrytis (leaf or bunch)

No

LBAM (webbing / moths / eggs /

caterpillars)
Not sighted

Scale (adults / eggs / crawlers)

Not sighted

Snails

Not sighted

Mites

Not sighted

Weevils No

Eutypa

Not showing up on the canes

Diaporthe

No

Phomopsis

No

Nutrient Deficiency / Toxicity

No

Beneficial's Not sighted

Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent

Irrigation / Preciptation

Good

Irrigation System (leaks, blocked

emitters etc.)

N/a

Weed Growth (vine rows)

Fairly clean (image 2)

Weed Growth (mid rows)

Some broadleaf

Sward Length (rows / headlands)

Recently slashed

Broken Posts (intermediate / Strainers)

N/a

Broken Wires

N/a

Notes / Other















Block D Viognier

Vine Growth, Canopy & Crop

EL Stage

12

Tip Growth

Strong

Canopy height x width (av. - cm)

25 x 15 cm

Canopy Lifting

Wires are down

Canopy & Crown Density (thinning

requirements)

Fairly even shoot growth (image 1), some dense crowns (image 5)

Leaf Colour

Good

Leaf Loss (shading or stress)

Nο

Watershoot Growth

Some watershoots (image 2)

Fruit/ Inflorescence Density,

Overcovering, Bunch size & condition

Medium size, medium density.

Frost or Cold Damage

No Notes **Pest, Disease & Nutrition**

Powdery Mildew

0

Downy Mildew (old infection)

0

Botrytis (leaf or bunch)

No

LBAM (webbing / moths / eggs /

caterpillars)
Not sighted

Scale (adults / eggs / crawlers)

Snails

Mites

Quite a lot of blister mite (image 4)

Weevils No

Eutypa

Some patches (image 6),

generally not showing up on the

canes Diaporthe

No

Phomopsis

No

Nutrient Deficiency / Toxicity

No

Beneficial's Not sighted

Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent

Irrigation / Preciptation

Good

Irrigation System (leaks, blocked

emitters etc.)

N/a

Weed Growth (vine rows)

Fairly clean (image 2)

Weed Growth (mid rows)

Some broadleaf

Sward Length (rows / headlands)

Recently slashed

Broken Posts (intermediate / Strainers)

N/a

Broken Wires

N/a

Notes / Other

















Block E Chardonnay

Vine Growth, Canopy & Crop

EL Stage

12

Tip Growth

Strong

Canopy height x width (av. - cm)

30 x 15 cm

Canopy Lifting

Wires are down

Canopy & Crown Density (thinning

requirements)

Light density (image 5)

Leaf Colour Good

Leaf Loss (shading or stress)

No

Watershoot Growth

Some watershoots (image 2)

Fruit/ Inflorescence Density,

Overcovering, Bunch size & condition

Medium size (image 3), light to medium density-some apical

dominance, blind budding (image

5).

Frost or Cold Damage

No Notes **Pest, Disease & Nutrition**

Powdery Mildew

0

Downy Mildew (old infection)

0

Botrytis (leaf or bunch)

No

LBAM (webbing / moths / eggs /

caterpillars)
Not sighted

Scale (adults / eggs / crawlers)

Some Scale (image 4)

Snails

Not sighted

Mites

Some blister mite (image 6)

Weevils Not sighted

Eutypa

Not showing up on the canes

Diaporthe

No

Phomopsis

No

Nutrient Deficiency / Toxicity

No

Beneficial's Not sighted

Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent

Irrigation / Preciptation

Good

Irrigation System (leaks, blocked

emitters etc.)

N/a

Weed Growth (vine rows)

Fairly clean (image 2)

Weed Growth (mid rows)

Some broadleaf

Sward Length (rows / headlands)

20 cm

Broken Posts (intermediate / Strainers)

N/a

Broken Wires

N/a

Notes / Other

















Block F Pinot Gris

Vine Growth, Canopy & Crop

EL Stage

11

Tip Growth

Strong

Canopy height x width (av. - cm)

20 x 15 cm

Canopy Lifting

Wires are down

Canopy & Crown Density (thinning

requirements)

Fairly even shoot growth (image

1)

Leaf Colour

Good

Leaf Loss (shading or stress)

No

Watershoot Growth

Some watershoots (image 2)

Fruit/ Inflorescence Density,

Overcovering, Bunch size & condition

N/a

Frost or Cold Damage

No Notes **Pest, Disease & Nutrition**

Powdery Mildew

0

Downy Mildew (old infection)

0

Botrytis (leaf or bunch)

No

LBAM (webbing / moths / eggs /

caterpillars)
Not sighted

Scale (adults / eggs / crawlers)

Not sighted

Snails

Not sighted

Mites

Some blister mite (image 4)

Weevils No Eutypa

Not showing up on the canes

Diaporthe

No

Phomopsis

No

Nutrient Deficiency / Toxicity

No

Beneficial's Not sighted

Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent

Irrigation / Preciptation

Good

Irrigation System (leaks, blocked

emitters etc.)

N/a

Weed Growth (vine rows)

Fairly clean (image 2)

Weed Growth (mid rows)

Some broadleaf

Sward Length (rows / headlands)

Recently slashed

Broken Posts (intermediate / Strainers)

N/a

Broken Wires

N/a

Notes / Other













Block H Pinot Meunier

Vine Growth, Canopy & Crop

EL Stage

11

Tip Growth

Strong

Canopy height x width (av. - cm)

15 x 10 cm

Canopy Lifting

Wires are down

Canopy & Crown Density (thinning

requirements)

Fairly even shoot growth (image

1)

Leaf Colour

Good

Leaf Loss (shading or stress)

No

Watershoot Growth

Some watershoots (image 2)

Fruit/ Inflorescence Density,

Overcovering, Bunch size & condition

N/a

Frost or Cold Damage

No Notes **Pest, Disease & Nutrition**

Powdery Mildew

0

Downy Mildew (old infection)

0

Botrytis (leaf or bunch)

No

LBAM (webbing / moths / eggs /

caterpillars)
Not sighted

Scale (adults / eggs / crawlers)

Not sighted

Snails

Not sighted

Mites

Not sighted

Weevils No

Eutypa

Not showing up on the canes

Diaporthe

No

Phomopsis

No

Nutrient Deficiency / Toxicity

No

Beneficial's Not sighted

Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent

Irrigation / Preciptation

Good

Irrigation System (leaks, blocked

emitters etc.)

N/a

Weed Growth (vine rows)

Fairly clean, some blackberry

(image 3)

Weed Growth (mid rows)

Some broadleaf

Sward Length (rows / headlands)

Recently slashed

Broken Posts (intermediate / Strainers)

N/a

Broken Wires

N/a

Notes / Other











Summary

Date Monitored By 28/10/2022 Alex Mills

Vineyard Summary

Generally even shoot and inflorescence development. Would consider crown thinning in some blocks. There is some blister mite- quite a lot in block D- and some scale- not much. With the recent wet and mild conditions there have been Downy Mildew alerts and some leaves have been collected for testing from blocks A and B.

Signature

GPS Location



Vineyard Map